Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



PRICE LIST

—OF—

WHITE ELM NURSERY COMPANY

HARTLAND, WIS.

FOR

1927



TELEPHONES

HARTLAND, Main Office 211 MILWAUKEE, Lakeside 2790 SHEBOYGAN, 3247-W

NURSERIES

HARTLAND OCONOMOWOC



PRICE LIST

-OF-

WHITE ELM NURSERY COMPANY

FOR

1927



TERMS AND CONDITIONS OF SALE

These prices include free packing and free delivery to such places as can be reached without unreasonable expense.

They also include our guarantee to replace, free of charge, all plants which fail to grow the first year, provided they have been given proper care and payment has been made when due or arrangement for extension has been made. Planting of such replacements will be additional.

Prices do not include planting.

Five of a kind at ten's rate, fifty at hundred's rate. Ten's rate will be allowed on all orders over \$100.00. Hundred's rate will be allowed on all orders over \$400.00.

Terms: 2 per cent ten days, 30 days net.

The plant names in this list conform to "Standardized Plant Names" as adopted by the American Committee on Horticultural Nomenclature.

Our nurseries are located at Hartland and Oconomowoc, with the main office at Hartland, and can be reached conveniently by the C., M. & St. Paul Ry. or the Milwaukee-Oconomowoc bus lines.

We specialize in landscape work and are prepared to furnish plans and specifications alone, or will prepare plans, furnish material, and carry out the work in full, as desired.

We furnish the maximum in service, as our prices include packing, delivery and guarantee, and we try to give the maximum in quality. Discounts will be made where these added services are not desired.

TREES

The diameter (or caliper) "c" of all trees is measured six inches above the ground.

A MARIE	Each Rate	Ten Rate	Hundred Rate
Acer—MAPLE			
A. dasycarpum. Silver Mapl		0 1 10	0 1 00
6 to 8 ft		\$ 1.10	\$ 1.00
8 to 10 ft	2.40	2.20	2.00
$1\frac{1}{2}$ to 2 in. c	$\frac{3.50}{5.50}$	3.25	3.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5.50	5.25	5.00
$2\frac{1}{2}$ to 3 in. c 3 to $3\frac{1}{2}$ in. c	9.00	8.50	8.00
/ -	14.00	13.00	12.00
A. negundo. Boxelder	4.00		•
6 to 8 ft	1.00	.90	.80
8 to 10 ft	2.00	1.75	1.50
$1\frac{1}{2}$ to 2 in. c	3.00	2.75	2.50
$\frac{2}{2}$ to $\frac{2}{2}$ in. c	5.00	4.75	4.50
$2\frac{1}{2}$ to 3 in. c	8.00	7.50	7.00
3 to $3\frac{1}{2}$ in. c	12.00	11.00	10.00
A. platanoides. Norway Map	ole 2.00	1.80	1.60
6 to 8 ft	4.00	3.80	3.60
8 to 10 ft			3.754.95
$1\frac{1}{2}$ to 2 in. c	8.00	7.75	7.50
2 to $2\frac{1}{2}$ in. c	11.00	10.50	10.00
$2\frac{1}{2}$ to 3 in. c	15.00	14.00	13.00
3 to $3\frac{1}{2}$ in. c	22.00	21.00	20.00
A. rubrum. Red Maple	4.00	0.55	0.70
6 to 8 ft	$\frac{4.00}{5.50}$	$\frac{3.75}{5.05}$	$\frac{3.50}{5.00}$
8 to 10 ft	5.50	5.25	5.00
A. saccharum. Sugar Maple			
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	4.50	4.25	4.00
$1\frac{1}{2}$ to 2 in c	7.00	6.50	6.00
2 to $2\frac{1}{2}$ in. c	9.00	8. 50	8.00
$2\frac{1}{2}$ to 3 in. c	14.00	13.00	12.00
A. tataricum. (See Shrubs)			
Horticultural varieties of	Acer.		
A. Schwedler Maple. Redled	aved Ma	nle	
5 to 6 ft		2.75	2.50
A. Wier Maple. Cutleaved,	weeping	Maple	
8 to 10 ft	3.50	3.25	3.00
Aesculus-HORSECHESTNUT			
A. hippocastinum. Horseche	stnut		
6 to 8 ft	5.00	4.75	4.50
			4.00
Ailanthus glandulosa-TREE O			
4 to 6 ft		1.40	1.30
6 to 8 ft	2.50	2.25	2.00

HARTLAND,	W15.		9
	Each Rate	Ten Rate	Hundred Rate
Alnus—ALDER			
A. incana. Speckled Alder	0.50	0.40	0.00
4 to 6 ft	2.50	2.40	2.30
Aralia. (See Shrubs)			
Aronia. (See Shrubs)			
Ash. (See Fraxinus)			
Basswood. (See Tilia)			
Bechtel Crab. (See Pyrus)			
Betula—BIRCH			
B. alba. European White			
4-/ to 6 8 ft	3 50	3 25	3.00
4-6 to 6 8 ft	4.50	4.25	4.00
B. a. pendula. Cut Leaf We	eping Bir	ch	
B. a. pendula. Cut Leaf We 6 to 8 ft	6.00	5.50	5.00
B. papyrifera. Canoe Birch			
6 to 8 ft	3.50	3.25	3.00
8 to 10 ft	4.50	-4.25	4.00
Birch. (See Betula)			
Boxelder. (See Acer)			
Buckeye. (See Aesculus)			
Butternut. (See Juglans)			
Catalpa—CATALPA			
C. speciosa. Western Catalp			
	2.00	1.80	1.60
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2.75	2.50	2.25
2 to 2½ in. c	4.50	4.25	4.00
$2\frac{1}{2}$ to 3 in. c	6.00	5.75	5.50
3 to $3\frac{1}{2}$ in. c	9.00	8.50	8.00
$3\frac{1}{2}$ to 4 in. c	12.00	11.50	11.00
4 to 5 in. c		15.00	14.00
Horticultural variety of C			
C. Umbrella Catalpa. Forme	rly called	d	
Catalpa Bungeii			
(Not guaranteed to stand	1 Wiscon	sin Wii	nters)
2 year heads	5.00	4.50	4.00
Celtis occidentalis—HACKBERI			
2 to $2\frac{1}{2}$ in. c	7.00	6.50	6.00
Cherry, wild. (See Prunus)			
Cherry, fruiting. (See Fruit Se	ction)		
Cerasus. (See Prunus)			
Coffeetree. (See Gymnocladus)		
Crab, flowering. (See Malus)	-		
Crab, fruiting. (See Fruit Sect	tion)		
Crataegus—HAWTHORN	,		
C. coccinea. Thicket Thorn			
4 to 5 ft	2.40	2.20	2.00
C. cordata. Washington Hau		0	
4 to 5 ft	2.40	2.20	2.00
5 to 6 ft	3.25	3.00	
			. , -

4 WHITE ELM NURSER	1 COM	PANY	
	Each Rate	Ten Rate	Hundred Rate
C. crusgalli. Cockspur Thorn		0.00	2.00
4 to 5 ft	2.40		2.00
Horticultural variety of Cr			
C. Paul Double Scarlet Hawth			
4 to 5 ft	4.00	3.75	3.50
Eleagnus. (See Shrubs)			
Elm. (See Ulmus)			
Fraxinus—ASH			
F. americana. White Ash			
6 to 8 ft	1.25	1.00	.90
8 to 10 ft	2.00	1.80	1.60
$1\frac{1}{2}$ to 2 ft	3.25	3.00	2.75
$1\frac{1}{2}$ to 2 in. c	3.25	3.00	2.75
$\frac{2}{2}$ to $\frac{2}{2}$ in. c	5.50	5.25	5.00
$2\frac{1}{2}$ to 3 in c 3 to $3\frac{1}{2}$ in c	$\begin{array}{c} 8.00 \\ 12.00 \end{array}$	$7.50 \\ 11.00$	$7.00 \\ 10.00$
	12.00	11.00	10.00
F. Lanceolata. Green Ash 8 to 10 ft	2.50	2.25	2.00
		2.20	2.00
Ginkgo biloba—MAIDENHAIR T		0.50	0.05
4 to 6 ft 6 to 8 ft	$\begin{array}{c} 2.75 \\ 4.00 \end{array}$	$\frac{2.50}{2.75}$	$\frac{2.25}{3.50}$
	4.00	3.75	5.50
Gleditsia—HONEYLOCUST			
G. inermis. Thornless Honey		0.05	0.00
6 to 8 ft	$\frac{2.50}{3.50}$	$\frac{2.25}{3.25}$	2.00
	5.50	5.25	3.00
Hackberry. (See Celtis)			
Hawthorn. (See Crataegus)			
Honeylocust. (See Gleditsia)			
Horsechestnut. (See Aesculus)			
Juglans—WALNUT			
J. cinera. Butternut			
8 to 10 ft	3.50	3.25	3.00
$1\frac{1}{2}$ to 2 in c	5.00	4.75	4.50
2 to $2\frac{1}{2}$ in c	7.00	6.50	6.00
J. nigra. Black Walnut			
6 to 8 ft	2.00	1.75	1.50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{2.50}{2.50}$	$\frac{2.25}{3.25}$	$\frac{2.00}{3.00}$
$1\frac{1}{2}$ to 2 in. c 2 to $2\frac{1}{2}$ in. c	$\frac{3.50}{6.00}$	5.50	5.00
$2\frac{1}{2}$ to 3 in. c	9.00	8.50	8.00
J. sieboldiana. Japanese Wa		0.00	0.00
8 to 10 ft	3.50	3.25	3.00
$1\frac{1}{2}$ to 2 in c	4.50	4.25	4.00
2 to $2\frac{1}{2}$ in. c	6.00	5.50	5.00
$2\frac{1}{2}$ to 3 in. c	8.00	7.50	7.00
Larix—LARCH			
2 to 3 ft	1.90	1.70	1.50
3 to 4 ft	3.00	2.75	2.50
4 to 5 ft	5.00	4.50	4.00
Linden. (See Tilia)			

HARTLAND,	WIS.		5
Locust, black. (See Robinia) Locust, honey. (See Gleditsia) Maidenhair Tree. (See Ginkgo Maple. (See Acer))		
Maple. (See Acer)	Each	Ten	Hundred
Malus—APPLE, CRAB	Rate	Rate	Rate
M. baccata. Siberian Crab			
(White flowers, small y	ellow fru	it)	
4 to 5 ft	2.50	2.30	2.20
M. coronaria. Wild Sweet C (Native wild crab, frage 4 to 5 ft	rant, pink 2.50	2. 30	rs) 2.20
M. floribunda. Japanese Flor	vering Cr	ab	
(Rose colored flowers) 4 to 5 ft	2.50	2 20	2.20
Horticultural varieties of N		2.50	4.40
M. Parkman Crab	viaius		
(Rose-colored flowers, tir 4 to 5 ft	3.00	2.75	2.50
(Large double pink flowe	rs)		
M. Bechtel Crab (Large double pink flowe 4 to 5 ft	3.00	2.75	2.50
Morus-MULBERRY			
M. tatarica. Russian Mulbers	rv		
Bush Form	•		
2 to 3 ft		.25	.15
3 to 4 ft	.35 .60	.30 .55	.25 .50
Tree Form		.00	.50
1 to $1\frac{1}{2}$ in. c	3.00	2.75	2.50
Horticultural variety of Mo	orus		
M. Weeping Mulberry			
2 year heads	6.00	5.50	5.00
Mountain Ash. (See Sorbus)			
Mulberry. (See Morus)			
Oak. (See Quercus)			
Plum, ornamental. (See Prunu			,
Plum, fruiting. (See Fruit Sect	non)		
Poplar. (See Populus)			
Populus-POPLAR			
P. bolleana. Bolleana Popla	r		
P. bolleana. Bolleana Popla 6 to 8 ft 8 to 10 ft	2.00	$\frac{1.90}{3.25}$	$\frac{1.80}{3.00}$
Horticultural varieties of		9.20	5.00
P. Carolina Poplar	i opuius		
6 to 8 ft	.75	.60	.50
8 to 10 ft	1.00	.60	.75
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{2.25}{3.75}$	$\frac{2.00}{3.60}$	$\frac{1.90}{3.50}$
2½ to 3 in. c	$\begin{array}{c} 5.75 \\ 5.25 \end{array}$	5.00	$\frac{3.50}{4.75}$
-			

P	Lombardy Poplar			
	Lombardy Topiai	Rate	Rate	Rate
	6 to 8 ft	Each		Hundred
		1.40	1.30	1.25
		$\frac{2.00}{2.00}$	$\begin{array}{c} 1.90 \\ 2.75 \end{array}$	1.80
Ρ.	10 to 12 ft	3.00	2.10	2.50
• •	6 to 8 ft	1.40	1.30	1.20
	8 to 10 ft	2.00	1.80	1.60
	$1\frac{1}{2}$ to 2 in. c	3.00	2.75	2.50
	2 to $2\frac{1}{2}$ in. c	4.50	4.25	4.00
	ıs—PLUM, CHERRY			
Ρ.	americana. American Plu		4.05	4.00
	4 to 6 ft	1.50	1.25	1.00
Р.	6 to 8 ft	2.50	2.25	2.00
г.	othello. Purple Leaved Position 6 ft	2.50	2.25	2.00
P.	pennsylvanica. Pin Cherr		2.20	2.00
• •	(Wild red cherry)	,		
	8 to 10 ft	2.50	2.00	1.90
	$1\frac{1}{2}$ to 2 in. c	4.00	3.75	3.50
	2 to $2\frac{1}{2}$ in. c	7.00	6.50	6.00
Ρ.		0.70	2 0 0	1.00
	8 to 10 ft	2.50	2.00	1.90
	$1\frac{1}{2}$ to 2 in. c	$\frac{4.00}{7.00}$	$\frac{3.75}{0.50}$	3.50
Ρ.	$\frac{2}{2}$ to $\frac{2}{2}$ in. c	7.00	6.50	6.00
г.	virginiana. Common Cho. 4 to 6 ft	1.50	1.35	1.25
	6 to 8 ft	$\frac{1.50}{2.50}$	$\frac{1.35}{2.25}$	2.00
	0 00 0 10000000000000000000000000000000			
Ptala	(See Shrube)			
Ptele	a. (See Shrubs) a. (See Malus—Sorbus)			
Pyrus	. (See Malus—Sorbus)			
Pyrus Quer	. (See Malus—Sorbus) cus—OAK			
Pyrus Quer	cus—OAK palustris. Pin Oak	6.00	5.50	5.00
Pyrus Quer	. (See Malus—Sorbus) cus—OAK	6.00 8.50		5.00 7.50
Pyrus Quer Q.	s. (See Malus—Sorbus) cus—OAK palustris. <i>Pin Oak</i> 8 to 10 ft		5.50	
Pyrus Quer Q.	s. (See Malus—Sorbus) cus—OAK palustris. <i>Pin Oak</i> 8 to 10 ft	$8.50 \\ 12.00$	5.50 8.00 11.00	7.50 10.00
Pyrus Quer Q.	s. (See Malus—Sorbus) sus—OAK palustris. Pin Oak 8 to 10 ft	8.50	5.50 8.00	7.50
Pyrus Quer Q. Q.	s. (See Malus—Sorbus) sus—OAK palustris. <i>Pin Oak</i> 8 to 10 ft	$8.50 \\ 12.00$	5.50 8.00 11.00	7.50 10.00
Pyrus Quer Q. Q.	cus—OAK palustris. Pin Oak 8 to 10 ft	8.50 12.00 6.00	5.50 8.00 11.00 5.50	7.50 10.00 5.00
Pyrus Quer Q. Q.	cus—OAK palustris. Pin Oak 8 to 10 ft	8.50 12.00 6.00	5.50 8.00 11.00 5.50	7.50 10.00 5.00
Pyrus Quer Q. Q. Robin R.	s. (See Malus—Sorbus) sus—OAK palustris. Pin Oak 8 to 10 ft	8.50 12.00 6.00 1.50 2.50	5.50 8.00 11.00 5.50	7.50 10.00 5.00
Pyrus Quer Q. Q. Robin R.	cus—OAK palustris. Pin Oak 8 to 10 ft	8.50 12.00 6.00 1.50 2.50	5.50 8.00 11.00 5.50	7.50 10.00 5.00 1.30 2.25
Pyrus Quer Q. Q. Robin R.	cus—OAK palustris. Pin Oak 8 to 10 ft	8.50 12.00 6.00 1.50 2.50 est	5.50 8.00 11.00 5.50 1.40 2.35	7.50 10.00 5.00 1.30 2.25
Pyrus Quer Q. Q. Robin R.	cus—OAK palustris. Pin Oak 8 to 10 ft	8.50 12.00 6.00 1.50 2.50	5.50 8.00 11.00 5.50	7.50 10.00 5.00 1.30 2.25
Pyrus Quer Q. Q. Robin R.	cus—OAK palustris. Pin Oak 8 to 10 ft	8.50 12.00 6.00 1.50 2.50 2.50	5.50 8.00 11.00 5.50 -1.40 2.35	7.50 10.00 5.00 1.30 2.25 .05 .20
Quero Q. Q. Robin R. R.	cus—OAK palustris. Pin Oak 8 to 10 ft	8.50 12.00 6.00 1.50 2.50 st .10 .30 1.00	5.50 8.00 11.00 5.50 1.40 2.35 .07 .25 .80	7.50 10.00 5.00 1.30 2.25 .05 .20 .60
Query Q. Q. Robin R. R. Russi Salisi	See Malus—Sorbus	8.50 12.00 6.00 1.50 2.50 st .10 .30 1.00	5.50 8.00 11.00 5.50 1.40 2.35 .07 .25 .80	7.50 10.00 5.00 1.30 2.25 .05 .20 .60
Query Q. Q. Robin R. R. Russi Salisi	EUS—OAK palustris. Pin Oak 8 to 10 ft	8.50 12.00 6.00 1.50 2.50 st .10 .30 1.00	5.50 8.00 11.00 5.50 1.40 2.35 .07 .25 .80	7.50 10.00 5.00 1.30 2.25 .05 .20 .60
Query Q. Q. Robin R. R. Russi Salisi	EUS—OAK palustris. Pin Oak 8 to 10 ft	8.50 12.00 6.00 1.50 2.50 2.50 1.00 1.50	5.50 8.00 11.00 5.50 -1.40 2.35 .07 .25 .80 1.25	7.50 10.00 5.00 1.30 2.25 .05 .20 .60 1.00
Pyrus Quero Q. Q. Robin R. R. Russi Salisi Salis Salix S.	cus—OAK palustris. Pin Oak 8 to 10 ft	8.50 12.00 6.00 1.50 2.50 2.50 1.00 1.50	5.50 8.00 11.00 5.50 1.40 2.35 .07 .25 .80	7.50 10.00 5.00 1.30 2.25 .05 .20 .60
Quero Q. Q. Robin R. R. Russi Salisi Salix	cus—OAK palustris. Pin Oak 8 to 10 ft	8.50 12.00 6.00 1.50 2.50 2.50 1.00 1.50	5.50 8.00 11.00 5.50 1.40 2.35 .07 .25 .80 1.25	7.50 10.00 5.00 1.30 2.25 .05 .20 .60 1.00
Pyrus Quero Q. Q. Robin R. R. Russi Salisi Salis Salix S.	cus—OAK palustris. Pin Oak 8 to 10 ft	8.50 12.00 6.00 1.50 2.50 sst .10 .30 1.00 1.50	5.50 8.00 11.00 5.50 1.40 2.35 .07 .25 .80 1.25	7.50 10.00 5.00 1.30 2.25 .05 .20 .60 1.00
Pyrus Quero Q. Q. Robin R. R. Russi Salisi Salis Salix S.	cus—OAK palustris. Pin Oak 8 to 10 ft	8.50 12.00 6.00 1.50 2.50 2.50 1.00 1.50	5.50 8.00 11.00 5.50 1.40 2.35 .07 .25 .80 1.25	7.50 10.00 5.00 1.30 2.25 .05 .20 .60 1.00

		Each Rate	Ten Rate	Hundred Rate
S.	incana. Rosemary Willow			
	2 to 3 ft	.60	.55	.50
	3 to 4 ft	.80	.75	.70
S.	pentandra. Laurel Willow			
٥.	4 to 6 ft	.60	.55	.50
	6 to 8 ft	1.00	.90	.80
			.50	.00
	Horticultural varieties of S	alix		
S.	Bronze Golden Willow			
	3 to 4 ft	.40	.35	.30
	4 to 6 ft	.70	.65	.60
	6 to 8 ft	1.00	.95	.90
S.	Niobe Weeping Willow			
	(Yellow twigged weeping))		
	4 to 6 ft	.90	.80	.70
	6 to 8 ft	1.25	1.10	1.00
S.	Russian Golden Willow			_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
۵.	4 to 6 ft	.70	.65	.60
•			.00	.00
S.	Wisconsin Weeping Willow		0.0	0.0
	4 to 6 ft	1.00	.90	.80
	6 to 8 ft	1.75	1.60	1.50
Sorbu	s—MOUNTAIN ASH			
S.	aucuparia. European Mou	ntain .	Ash	
	8 to 10 ft	3.40	3.30	3.20
Tama	rack. (See Larix)			
Tilia-	-LINDEN			
т.	americana. American Lina	len. Ro	hooweer	
• •	8 to 10 ft	5.00	4.50	4.00
T			4.00	4.00
		s)		
Ulmu:	sELM			
	6 to 8 ft	1.50	1.30	1.20
	8 to 10 ft	2.50	2.25	2.00
	$1\frac{1}{2}$ to 2 in. c	4.50	4.25	4.00
	$\frac{1}{2}$ to $\frac{1}{2}$ in \mathbf{c}	7.00	6.50	6.00
	$2\frac{1}{2}$ to 3 in. c	10.00	9.50	9.00
	3 to 3½ in. c	15.00	14.00	13.00
	$3\frac{1}{2}$ to 4 in. c	20.00	18.00	16.00
	4 to 5 in. c	25.00	22.00	20.00
	. 30 0 1111 01111111	20.00	44.00	40.00

EVERGREENS

These prices include digging and delivering evergreens with ball of earth. This adds considerably to the expense, both in digging and delivery, but is well worth the added cost.

Evergreens are also included in our guarantee to replace free of charge. This is very unusual as evergreens are usually excepted from such guarantee. Sizes are given as height in feet, unless otherwise noted.

		Each Rate	Ten Rate	Hundred Rate
Abies	—FIR	reate	rate	Time
Δ.	concolor. White Fir			
	2 to $2\frac{1}{2}$ ft	10.00	9.50	9.00
	$2\frac{1}{2}$ to 3 ft	12.00	11.50	11.00
	3 to $3\frac{1}{2}$ ft	15.00	14.50	14.00
	douglasi. (See Pseudotsu	ga)		
	rvitae. (See Thuja)			
	r. (See Juniperus)			
Doug	las Fir. (See Pseudotsuga))		
Fir.	(See Abies)			
Heml	ock. (See Tsuga)			
Innin	erus—JUNIPER or CEDAR			
J.	communis suecia. Swedish		r	
	3 to $3\frac{1}{2}$ ft	11.00	10.50	10.00
	4 to 5 ft	15.00	14.50	14.00
J.	Procumbens. Creeping Ju			
	1 to $1\frac{1}{2}$ ft. sp	4.50	4.25	4.00
	$1\frac{1}{2}$ to 2 ft. sp	6.50	6.25	6.00
_	2 to $2\frac{1}{2}$ ft. sp	9.00	8.50	8.00
J.	sabina. Savin Juniper	4.05	4.00	0.75
	1 to $1\frac{1}{2}$ ft. sp $1\frac{1}{2}$ to 2 ft. sp	$\frac{4.25}{6.00}$	$\frac{4.00}{5.75}$	$\frac{3.75}{5.50}$
	_	0.00	5.75	9.90
J.	Virginiana. Red Cedar 1 to 1½ ft	1.75	1.60	1.50
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	3.00	$\frac{1.00}{2.75}$	$\frac{1.50}{2.50}$
	2 to 2½ ft	4.00	$\frac{2.15}{3.75}$	3.50
	2½ to 3 ft	5.50	5.25	5.00
	3 to 3½ ft	7.00	6.75	6.50
	3½ to 4 ft	9.00	8.50	8.00
	4 to 5 ft	11.00	10.50	10.00
	5 to 6 ft	15.00	14.50	14.00
	Horticultural varieties of J	uniperus		
J.	Cannart	10.00	0.50	0.00
	$\frac{3}{2}$ to $\frac{3}{2}$ ft	10.00	9.50	9.00
	3½ to 4 ft	14.00	13.50	13.00
J.	Golden Juniper. (Canade	nsis Aur	ea) 4.75	4.50
	1 to $1\frac{1}{2}$ ft. sp	$\frac{5.00}{6.50}$	$\frac{4.75}{6.25}$	$\frac{4.50}{6.00}$
	$1\frac{1}{2}$ to 2 ft. sp 2 to $2\frac{1}{2}$ ft. sp	9.00	8.50	8.00
	2 to 2/2 it. sp	0.00	3.90	0.00

		IIIIIII EIII	ι Ε,	11 10.		v
				Each	Ten	Hundred
J.	DC4	(DC+		Rate	Rate	Rate
J.	Pfitzer.	(Pfitzeriana)		6.50	6.00	5.50
	2 to	2 ft. sp $2\frac{1}{2}$ ft. sp	• • •	9.00	8.50	8.00
	$2\frac{1}{2}$ to	3 ft. sp	• • •	11.50	11.00	10.50
	3 to	3½ ft. sp	• • •	14.00	13.50	13.00
J.		(upright form)		14.00	10.00	10.00
٥.		tht form)	,			
	2½ to	3 ft		11.50	11.00	10.50
	3 to	3½ ft		14.00	13.50	13.00
J.	Prostrate					
J .	1 to	1½ ft. sp	13)	4.50	4.25	4.00
	1½ to	2 ft. sp	• • •	5.50	5.25	5.00
	2 to	2½ ft. sp		7.50	7.25	7.00
	$2\frac{1}{2}$ to	3 ft. sp		10.00	9.50	9.00
	3 to	3½ ft. sp		14.00	13.50	13.00
J.			Schot			
J .	4 to			14.00	13.00	12.00
J.	Silver R	ed Cedar. (J	GL	auca)	10.00	12.00
٠.	3 to	3½ ft		12.00	11.00	10.00
	$3\frac{1}{2}$ to	4 ft		14.00	13.00	12.00
	4 to	5 ft		17.00	16.00	15.00
	5 to	6 ft		20.00	19.00	18.00
Picea	—SPRUC					
P.	canaden		ruce			
	1½ to	2 ft		2.50	2.25	2.00
	2 to	2½ ft		4.00	3.75	3.50
	$2\frac{1}{2}$ to	3 ft		5.50	5.25	5.00
	3 to	$3\frac{1}{2}$ ft		8.00	7.75	7.50
	$3\frac{1}{2}$ to	4 ft		11.00	10.50	10.00
	4 to	5 ft		15.00	14.00	13.00
Ρ.		is albertiana.	All	berta Si	oruce	
	(Black I					
	$1\frac{1}{2}$ to	2 ft		2.50	2.25	2.00
	$\frac{2}{2}$ to	2½ ft	• • •	4.00	3.75	3.50
	$2\frac{1}{2}$ to	3 ft		5.50	5.25	5.00
	3 to	3½ ft		8.00	7.75	7.50
	$3\frac{1}{2}$ to	4 ft		11.00	10.50	10.00
D	4 to	5 ft	• • •	15.00	14.00	13.00
Ρ.	excelsa. 1 to	Norway Spri		1.25	1 10	1.00
	1 to 11/2 to	1½ ft 2 ft		$\frac{1.25}{1.75}$	$\frac{1.10}{1.60}$	$\frac{1.00}{1.50}$
	2 to	2½ ft		$\frac{1.75}{2.50}$	$\frac{1.00}{2.25}$	$\frac{1.50}{2.00}$
	2½ to	3 ft	• • •	$\frac{2.50}{3.50}$	$\frac{2.25}{3.25}$	3.00
	3 to	3½ ft		4.50	$\frac{3.25}{4.25}$	4.00
	3½ to	4 ft		6.00	5.75	5.50
	4 to	5 ft		8.50	8.00	7.50
	5 to	6 ft	• • •	12.00	11.00	10.00
	6 to	8 ft		16.00	15.00	14.00
Ρ.	pungens.	Colorado Si	oruce		10.00	14.00
		o Green Spru				
	1½ to	2 ft		3.50	3.25	3.00
	2 to	2½ ft		4.50	4.25	4.00
	$2\frac{1}{2}$ to	3 ft		6.50	6.25	6.00
	3 to	3½ ft		10.00	9.50	9.00

							Each	\mathbf{Ten}	Hundred
		.1	1			•	Rate	Rate	Rate
_	Horti								
Ρ.							Colorado		
	1 1/2		2	It	• • • •	• • • •	7.50	7.25	7.00
	2	to					11.00	10.50	10.00
	$2\frac{1}{2}$	to	3	ft		• • • •	14.00	13.50	13.00
	3	to					18.00	17.00	16.00
	$3\frac{1}{2}$	to					22.00	21.00	20.00
	4	to					27.00	26.00	25.00
	5	to	6	ft			35.00	32.00	30.00
Ρ.	Koste	r I	Blue S	Spru	ce				
	5	to	6	ft			50.00	47.00	45.00
	6	to	7	ft			75.00	70.00	65.00
	7	to	8				100.00	95.00	90.00
	8	to	10				150.00	140.00	130.00
Pinus-	-PIN	E							
P.	monta	ana	mug	hus.	M	lugho	Pine		
	12	to	15	in.			4.50	4.25	4.00
	15	to	18	in.			6.00	5.75	5.50
Ρ.	nigra	_	Austr	ian	Pin	e			
	1 1/2		2				2.50	2.25	2.00
	2	to					3.00	2.75	
	$\frac{1}{2}\frac{1}{2}$		3 ~	ft			5.00	$\frac{2.75}{4.75}$	4.50
	3 2	to		ft			7.00	6.50	
Ρ.	pond						low Pine		
٠.	$1\frac{1}{2}$		2				2.00	1.75	1.50
	2	to	21%	ft			$\frac{2.50}{2.50}$	2.25	
	$\frac{2}{2}\frac{1}{2}$		3	ft	• • • •	· · · · ·	$\frac{2.00}{4.00}$	$\frac{2.26}{3.75}$	
	3	to					6.00	5.50	
	$3\frac{1}{2}$		4				7.50	7.00	
	4	to	5	ft			12.00	11.00	
Ρ.	resin		-	d P		• • • •	12.00	11.00	10.00
г.	3	to					6.00	5.50	5.00
	$3\frac{1}{2}$		4	ft			7.50	7.00	
	4	to	$\overline{5}$			· · · · ·	10.00	9.50	
	5	to	6			· · · · ·	14.00	13.00	
Ρ.	strob			ite	Pine	 •	14.00	10.00	12.00
• •	21/2		3	ft		·	4.00	3.75	3.50
	3	to	31/2	ft			6.00	5.50	
	31/2	to	4	ft				7.00	
	4	to	$\bar{5}$	ft.			10.00	9.50	
	$\hat{5}$	to	6	ft			14.00	13.00	
Ρ.	sylve			coto	h P	ine		20.00	
	1 1/2						2.00	1.75	1.50
	2	to	$2\frac{1}{2}$	ft			2.50	2.25	2.00
	$2\frac{1}{2}$		3	ft			4.00	3.75	3.50
	3	to	$3\frac{1}{2}$	ft		<u>.</u> .	6.00	5.50	5.00
Pseud	dotsug	a I	Dougl	asi.	Do	ougla	s Fir		
			Dougl						
	2	to					5.00	4.75	
	$2\frac{1}{2}$		3	ft			7.00	6.75	
	3	to	$3\frac{1}{2}$	ft			9.00	8.50	
	$3\frac{1}{2}$		4	ft			12.00	11.50	
	4	to	5	ft			16.00	15.00	14.00

	Each Rate	Ten Rate	Hundred Rate
Red Cedar. (See Juniperus)			
Spruce. (See Picea)			
Taxus—YEW			
T. canadensis			
1 to 1½ ft. sp	4.50	4.25	4.00
$1\frac{1}{2}$ to 2 ft. sp		6.25	6.00
T. cuspidata. Japanese Yeu		0.20	0.00
Bush form			
1 to 1½ ft	4.50	4.25	4.00
1½ to 2 ft	6.50	6.25	6.00
2 to 2½ ft	9.00	8.50	8.00
$2\frac{1}{2}$ to 3 ft	12.00	11.50	11.00
T. Dwarf Japanese Yew			
(Taxus cuspidata brevifol	lia)		
1 to $1\frac{1}{2}$ ft	6.00	5.50	5.00
Thuja—ARBORVITAE			
T. occidentalis. American A	rborvitae	:	
$1\frac{1}{2}$ to 2 ft	1.50	1.40	1.30
2 to 2½ ft	2.00	2.25	2.00
$2\frac{1}{2}$ to 3 ft	3.50	3.25	3.00
3 to $3\frac{1}{2}$ ft	5.50	5.25	5.00
3½ to 4 ft	8.00	7.50	7.00
4 to 5 ft	10.00	9.50	9.00
5 to 6 ft	13.00	12.00	11.00
T. orientalis. Oriental Arbon	rvitae		
1 to 1½ ft	1.00	.90	.80
$1\frac{1}{2}$ to 2 ft	1.50	1.40	1.30
Horticultural varieties of			
T. American Globe Arborvita		0 ===	0.70
1 to 1½ ft	4.00	3.75	3.50
1½ to 2 ft	6.00	5.75	5.50
2 to 2½ ft	8.00	7.50	7.00
T. American Pyramidal Arbo	5.00	4.75	4.50
	6.50	6.25	6.00
$2\frac{1}{2}$ to 3 ft	9.00	8.50	8.00
3 to 3 12 tt	14.00	13.00	12.00
4 to 5 ft	20.00	18.00	17.00
5 to 6 ft	25.00	23.00	22.00
6 to 7 ft	35.00	32.00	30.00
7 to 8 ft		42.00	40.00
T. Ware Arborvitae. (Siber			
1½ to 2 ft	5.00	4.75	4.50
2 to 2½ ft	6.50	6.25	6.00
Tsuga—HEMLOCK	0.00	0.20	0.00
T. canadensis. Canada Hem	lock		
2 to $2\frac{1}{2}$ ft	5.50	5.25	5.00
$2\frac{1}{2}$ to 3 ft	6.50	6.25	6.00
3 to $3\frac{1}{2}$ ft	9.00	8.50	8.00
$3\frac{1}{2}$ to 4 ft	12.00	11.50	11.00
4 to 5 ft	17.00	16.00	15.00
T. Diversifolia. Japanese H			
$1\frac{1}{2}$ to 2 ft	6.00	5.75	5.50
Yew. (See Taxus)			

SHRUBS

Size indicates feet in height	unless	otherwis	e noted.
_	Each	Ten	Hundred
Acanthopanax pentaphyllum	Rate	Rate	Rate
(Aralia pentaphyllum)			
2 to 3 ft	.80		.70
3 to 4 ft	1.00	.95	.90
Acer tataricum. Tatarian Map			
2 to 3 ft	.90		.70
3 to 4 ft	1.30		1.00
4 to 5 ft	1.70	1.60	1.50
Ailanthus. (See Trees)			
Amelanchier—SHADBLOW. (rry)	
A. canadensis. Downy Shad	blow	1 20	1.00
3 to 4 ft	1.40	1.30	1.20
Amygdalus. (See Prunus)			
Amorpha Fruiticosa. Indigobus		0.5	
2 to 3 ft	.75 .90		.55 .70
Aralia spinosa. Devilscane	.90	.00	.10
3 to 4 ft	1.20	1.10	1.00
4 to 5 ft	1.50		1.30
Aronia—CHOKEBERRY			_,,,,
A. arbutifolia. Red Chokebe	rry		
2 to 3 ft	1.20	1.10	1.00
			1.30
A. melanocarpa. Black Cho.	keberry	,	
2 to 3 ft	.85 1.00	.80	.75
3 to 4 ft	1.00	.95	.90
Berberis—BARBERRY		DL	
B. atropurpurea. Purple Jap 1 to 1½ ft	oanese 1.50	1.40	1.30
B. thunbergi. Japanese Barb	errv	1.40	1.50
1 to 1½ ft	.40	.35	.30
$1\frac{1}{2}$ to 2 ft	.60	.50	.40
2 to $2\frac{1}{2}$ ft	.75	.65	.55
Horticultural variety of Be	erberis		
B. Box Barberry			
12 to 15 in	.55		.45
15 to 18 in	.65	.60	.55
Buckthorn. (See Spirea)			
Buddleia—BUTTERFLYBUSH			
Beautiful lavender spikes,	hut no	nt ouarai	nteed to
stand Wisconsin Winters.	Da(110	, guara	ireca to
Potted Plants	.50	.40	.35
Buffaloberry. (See Shepherdia)		
Burningbush. (See Euonymous)		
Caragana Arborescens. Siberia 2 to 3 ft	n Pea	Tree	
2 to 3 ft		.45	.40
3 to 4 ft	.60	.55	.50
4 to 5 ft	.80	.70	.65

,			
	Each Rate	Ten Rate	Hundred Rate
Colutea Arborescens. Bladder-S	Tanna	rate	rate
3 to 4 ft		.90	.80
Cornus—DOGWOOD	1.00		.00
C. alternifolia. Blueberried L			75
2 to 3 ft	.85	.80	.75
3 to 4 ft	1.00	.95	.90
C. paniculata. Grey Dogwood	d To	0.5	0.0
2 to 3 ft	.70	.65	.60
3 to 4 ft	.90	.80	.75
C. sanguinea. Bloodtwig Dog	gwood	0.0	
2 to 3 ft	.65	.60	.50
3 to 4 ft	.80	.70	.65
C. stolonifera. Red-osier Dog	wood		
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.90	.80
Horticultural varieties of I	Dogwood	d	
C. Coral Dogwood. (Siberian	1)		
Buight Pad Roule	•		
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.90	.80
C. Goldentwig Dogwood. Yel	llow twi	gs	
2 to 3 ft		.65	.60
3 to 4 ft	.90	.80	.75
C. Variegated Dogwood. Var	riegated	foliage	a.
2 to 3 ft		1.10	1.00
Coralberry. (See Symphoricarpy	116)		
Corylus americana. Hazelnut	usj		
2 to 3 ft	.90	.80	.75
	.50	.00	.10
Cotoneaster acutifolia	.75	C =	co
2 to 3 ft		.65	.60
Cydonia japonica. Flowering Q	uince		0.0
2 to 3 ft	1.00	.95	.90
Deutzia—DEUTZIA			
D. gracilis. Slender Deutzia			
$1\frac{1}{2}$ to 2 ft	.90	.85	.80
D. scabra crenata			
2 to 3 ft	.60	.55	.50
Horticultural variety of De	eutzia		
D. Lemoine			
$1\frac{1}{2}$ to 2 ft	.90	.80	.75
Diervilla. (See Weigelia)			
Dogwood. (See Cornus)	01.		
Eleagnus angustifolia. Russian		.55	50
2 to 3 ft	.65 .85	.75	.50 .70
4 to 5 ft	1.00	.95	.90
E. longipes	1.00	.50	.50
2 to 3 ft	1.25	1.10	1.00
2 10 9 11	1,40	1.10	1.00

	Each	Ten	Hundred
	Rate	Rate	Rate
Elder. (See Sambucus)			
Euonymus—EUONYMUS			
•			
E. alatus. Winged Euonymus	3		
2 to 3 ft	1.40	1.30	1.20
E. europaeus. Burningbush			
3 to 4 ft	1.00	.95	.90
		.00	.50
Flowering Almond. (See Prunu	1S)		
Forsythia—FORSYTHIA			
F. intermedia. Golden Bell			
2 to 3 ft	.60	.50	.45
		.65	
3 to 4 ft	.75		.60
4 to 5 ft	.90	.80	.75
F. suspensa. Weeping Forsyt	hia		
2 to 3 ft	.70	.65	.60
3 to 4 ft	.90	.80	.75
F. suspensa fortunei. Fortune	e Forsyt	hia	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.80	.75	.70
Hamamelis-WITCH-HAZEL			
	1.50	1 40	1.00
3 to 4 ft	1. 50	1.4 0	1 .30
Hazelnut. (See Corylus)			
Highbush Cranberry. (See Vibr	(mmm)		
Triginash Cramberry. (See Vib	urnum)		
Honeysuckle. (See Lonicera)			
Hoptree. (See Ptelia)			
Hydrangea—HYDRANGEA			
Horticultural varieties of l	Hydrano	ea	
H. Peegee. Large Flowering			0.0
2 to 3 ft	1.00	.95	.90
Tree Form			
4 to 5 ft	2.25	2.00	1.80
H. Snowhill Hydrangea			
2 to 3 ft	1.00	.95	.90
	1.00	.99	.90
Ligustrum—PRIVET			
L. Amur River North. (Hard	dy Privo	+1	
1 to 1½ ft	.20	.16	.14
$1\frac{1}{2}$ to 2 ft	.30	.25	.20
2 to 2½ ft	.40	.35	.30
3 to 4 ft	.50	.45	.40
Rege! Privet			
1½ to 2 ft	.75	.65	.60
2 to 3 ft	.90	.80	.75
	.50	.00	.10
Lilac. (See Syringa)			
Lonicera—HONEYSUCKLE			
L. Morrowi. Morrowi Honey		. 1.	1 1 1 1
White flowers, yellow berr	nes, spr		nabit.
2 to 3 ft	.75	.65	.60
3 to 4 ft	.90	.80	.75
L. Xylosteum. European Fly		mahla	
			0.0
4 to 5 ft		.95	.90
Horticultural varieties of	Lonicer	a	

Rate Rate Rate Rate Est Pink 2 to 3 ft. .60 .55 .50 .3 to 4 ft. .80 .70 .60 .4 to 5 ft. 1.00 .90 .80 .80 .70 .60 .55 .50 .3 to 4 ft. .80 .70 .60 .55 .50 .3 to 4 ft. .80 .70 .60 .55 .50 .3 to 4 ft. .80 .70 .60 .4 to 5 ft. .80 .70 .65 .50 .4 to 5 ft. .80 .70 .65 .50 .4 to 5 ft. .80 .70 .65 .50 .4 to 5 ft. .80 .70 .65 .50		,	Each	Ten I	Hundred
Best Pink			Rate		
3 to 4 ft	L.	Best Pink	Grandi		
L. White Belle Honeysuckle (Bella Albida.) White flowers, red berries 2 to 3 ft		2 to 3 ft			
L. White Belle Honeysuckle (Bella Albida.) White flowers, red berries 2 to 3 ft					
(Bella Albida.) White flowers, red berries 2 to 3 ft	_		1.00	.90	.80
3 to 4 ft.	L.	White Belle Honeysuckle			
3 to 4 ft.		(Bella Albida.) White flo	wers, re	d berrie	s
L. White Tatarian 2 to 3 ft		2 to 4 ft	.00	.55	.00
L. White Tatarian 2 to 3 ft		4 to 5 ft			
2 to 3 ft	T.	White Tatarian	1.00	.00	•00
3 to 4 ft.		2 to 3 ft	.60	.55	.50
A to 5 ft		3 to 4 ft			
Mahonia aquifolium. Holly Grape 8 to 12 in		4 to 5 ft	1.00	.90	.80
Ninebark (See Physocarpus)	Maho	nia aquifolium. Holly Gra	тре		
Philadelphus—MOCKORANGE P. coronarius. Sweet Mockorange 2 to 3 ft		8 to 12 in	.80	.75	.70
P. coronarius. Sweet Mockorange 2 to 3 ft	Ninel	oark. (See Physocarpus)			
2 to 3 ft	Phila	delphus—MOCKORANGE			
2 to 3 ft	Р.	coronarius. Sweet Mockor	ange		
4 to 5 ft. 1.00 .90 .85 5 to 6 ft. 1.25 1.10 1.00 P. grandiflorus. Big Scentless Mockorange 2 to 3 ft		2 to 3 ft	.60		
5 to 6 ft		3 to 4 ft	.80		
P. grandiflorus. Big Scentless Mockorange 2 to 3 ft		4 to 5 ft	1.00		
2 to 3 ft	-	5 to 6 ft	1.25		1.00
3 to 4 ft	Ρ.	grandiflorus. Big Scentless	Mocko		50
4 to 5 ft 1.00 .90 .85 Horticultural varieties of Philadelphus P. Avalanche 2 to 3 ft		2 to 5 It	.00		
Horticultural varieties of Philadelphus P. Avalanche 2 to 3 ft		4 to 5 ft			
P. Avalanche 2 to 3 ft		Harticultural varieties of F	Philadel	nhue	.00
2 to 3 ft	Ρ.		mader	piids	
3 to 4 ft. 1.00 .90 .85 P. Bouquet Blanc. Semi-double 2 to 3 ft. 1.00 .95 .90 P. Dwarf Sweet Mockorange 1½ to 2 ft. .60 .55 .50 2 to 3 ft. .80 .70 .65 P. Golden Mockorange 1½ to 2 ft. 1.00 .95 .90 P. Virginal. New, fine large flowers 2 to 3 ft. 1.50 1.40 1.30 Physocarpus—NINEBARK P. opulifolius. Common Ninebark 2 to 3 ft. .60 .55 .50 3 to 4 ft. .75 .65 .60 4 to 5 ft. .90 .80 .75 Horticultural variety of Physocarpus P. Goldleaf Ninebark 2 to 3 ft. .60 .55 .50 3 to 4 ft. .75 .65 .60 5 ft. .90 .80 .75 Potentilla Fruticosa 2 to 3 ft. 1.00 .95 .90		2 to 3 ft	.80	.70	.65
P. Bouquet Blanc. Semi-double 2 to 3 ft		3 to 4 ft	1.00	.90	.85
P. Dwarf Sweet Mockorange 1½ to 2 ft	Ρ.	Bouquet Blanc. Semi-doub	ole		
1½ to 2 ft. .60 .55 .50 2 to 3 ft. .80 .70 .65 P. Golden Mockorange .1½ to 2 ft. 1.00 .95 .90 P. Virginal. New, fine large flowers .2 to 3 ft. 1.50 1.40 1.30 Physocarpus—NINEBARK P. opulifolius. Common Ninebark 2 to 3 ft. .60 .55 .50 3 to 4 ft. .75 .65 .60 4 to 5 ft. .90 .80 .75 Horticultural variety of Physocarpus P. Goldleaf Ninebark 2 to 3 ft. .60 .55 .50 3 to 4 ft. .75 .65 .60 5 ft. .90 .80 .75 Potentilla Fruticosa 2 to 3 ft. 1.00 .95 .90		2 to 3 ft	1.00	.95	.90
2 to 3 ft	Р.		20		~ 0
P. Golden Mockorange		1½ to 2 ft			
1½ to 2 ft	D		.80	.70	.60.
P. Virginal. New, fine large flowers 2 to 3 ft	Ρ.		1.00	95	90
2 to 3 ft	Р			.00	••/(/
Physocarpus—NINEBARK P. opulifolius. Common Ninebark 2 to 3 ft	• •			1.40	1.30
P. opulifolius. Common Ninebark 2 to 3 ft	nı				
2 to 3 ft	Phys	ocarpus—NINEBAKK	. L L		
Horticultural variety of Physocarpus P. Goldleaf Ninebark 2 to 3 ft	1.	2 to 3 ft	60	55	50
Horticultural variety of Physocarpus P. Goldleaf Ninebark 2 to 3 ft		3 to 4 ft.	75		
Horticultural variety of Physocarpus P. Goldleaf Ninebark 2 to 3 ft		4 to 5 ft	.90		
P. Goldleaf Ninebark .60 .55 .50 2 to 3 ft .60 .55 .50 3 to 4 ft .75 .65 .60 5 ft .90 .80 .75 Potentilla Fruticosa 2 to 3 ft 1.00 .95 .90		Horticultural variety of Ph			• • • •
2 to 3 ft	P		•		
3 to 4 ft	• •		.60	.55	.50
5 ft					
2 to 3 ft 1.00 .95 .90		5 ft	.90	.80	.75
2 to 3 ft 1.00 .95 .90	Poter	ntilla Fruticosa			
			1.00	.95	.90
	Prick	dy Ash. (See Zanthoxylum	1)		

	Each	Ten	Hundred
Duinet ('Con Liemature)	Rate	Rate	Rate
Privet. (See Ligustrum)			
Prunus—PLUM. CHERRY			
P. americana. Wild Plum	4 50	4.05	1.00
4 to 6 ft		1.25	1.00
6 to 8 ft	2.50	2.25	2.00
Horticultural varieties of			
P. Double Flowering Plum. 3 to 4 ft	(Prunus	Trilob	a)
	1.75	1.60	1.50
P. Flowering Almond			
Double Pink	1.75	1.60	1.50
3 to 4 ft Double White	1.75	1.60	1.90
3 to 4 ft	1.75	1.60	1.50
P. Othello. Purpleleaf Plum	1.10	1.00	1.00
4 to 6 ft	1.75	1.60	1.50
Ptelea trifoliata—HOPTREE	1.10	1.00	1.00
2 to 3 ft	.60	.55	.50
3 to 4 ft	.80	.70	.60
4 to 5 ft	1.00	.90	.80
Rhamnus—BUCKTHORN	1.00	•00	.00
R. cathartica. Buckthorn			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
R. frangula. Glossy Buckthon	rn		
3 to 4 ft	.70	.60	.55
Rhodotypus kerroides			
2 to 3 ft	1.00	.90	.80
3 to 4 it	1.25	1.10	1.00
Rhus-SUMACH			
R. canadensis. Fragrant Sun	nach		
2 to 3 ft	1.25	1.10	1.00
R. glabra. Smooth Sumach			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.70	.60	.50
R. typhina laciniata. Cutleaf	Stagho	rn Sum	ach
2 to 3 ft	.60	.55	.50
3 to 4 ft	.80	.70	.65
4 to 5 ft	1.00	.90	.80
Ribes—CURRANT			
R. alpinum. Mountain Curra	nt		
$\hat{1}\frac{1}{2}$ to 2 ft	.80	.70	.65
R. oderatum. Golden Curran			\triangle
2 to 3 ft	.70	.65	.60
3 to 4 ft	.90	.85	.80
Robinia hispida. Rose Acacia			
3 to 4 ft	1.50	1.40	1.30
Roses. (See Rose Section)			
Rubus oderatus. Flowering Ra	spberry		
2 to 3 ft	.60	.55	.50
3 to 4 ft	.80	.75	.70

			ren Rate	Hundred
Salix incana. Rosemary	Willow	Rate I	tate	Rate
2 to 3 ft		.60	.55	.50
3 to 4 ft		.80	.75	.70
Sambucus-ELDER				
S. canadensis. Ame	rican Eld			
2 to 3 ft		.65	.55	.50
3 to 4 ft		.80	.70	.65
S. racemosa. Redbe				
2 to 3 ft	• • • • • •	.80	.75	.70
3 to 4 ft Horticultural varie		1.00	.90	.85
		ambucus		
S. Cutleaf European 2 to 3 ft		.70	.60	.55
3 to 4 ft		.90	.80	.75
		.90	.00	.10
S. Golden Elder 2 to 3 ft		.70	.60	.55
3 to 4 ft		.90	.80	.75
		.50	.00	.10
Shadblow. (See Amela	,			
Shepherdia argentia. B			70	0.5
3 to 4 ft 4 to 5 ft		.80 1.00	.70 .90	.65 .80
		1.00	.90	•00
Snowball. (See Viburn Snowberry. (See Symp	um) hovisovny	12)		
Sorbaria sorbifolia. Fa		.75	.65	co
2 to 3 ft 3 to 4 ft		.90	.80	.60 .75
	• • • • • • •	.90	.00	.10
Spirea—SPIREA				
S. douglasi. Rose p	ink spike:			50
2 to 3 ft 3 to 4 ft	• • • • • •	$.60 \\ .75$.55 .70	.50 .65
S. japonica ovalifolia (Spirea Callosa A		Japanese	эрі	rea
$1\frac{1}{2}$ to 2 ft	iba)	.90	.80	.75
	Physocar _I		.00	****
S. Prunifolia. Brida	liysocar	ius)		
This is the true br	i wreath	h hut has	haa	n large-
ly superseded by	the Van	houtte. w	hich	is the
ly superseded by variety commonly 2 to 3 ft	known as	bridalwr	eath.	
2 to 3 ft		.90	.80	.75
3 to 4 ft		1.00	.90	.85
S. sorbifolia. (See	Sorbaria)			
S. thunbergi. Thunk	erg Spire	ea.		
Early dwarf white				
2 to 3 ft		1.00	.90	.85
Horticultural varie	ties of S	pirea		
S. Anthony Waterer. 1 to 1½ ft		.65	.55	.50
$1\frac{1}{2}$ to 2 ft		.80	.70	.65
S. Billard. Rose pin	k panicle	s		
2 to 3 ft		.60	.55	.50
3 to 4 ft		.75	.65	.60

		77 1	m	TT 3 3
		Each Rate	Ten Rate	Hundred Rate
S.	Froebel. Flat panicles, ros	e pink,	3 ft.	
	$1\frac{1}{2}$ to 2 ft	.65	.55	.50
	2 to 2½ ft	.80	.70	.65
S.	Garland. (S. arguta) Earl	v white		
	2 to 3 ft	.90	.80	.75
S.	Vanhoutte			
٥.	The most popular variety	v usua	llv kn	own as
	BRIDALWREATH.	,		
	1½ to 2 ft	.50	.40	.30
	2 to 3 ft	.60	.50	.40
	3 to 4 ft	.75	.65	.55
	4 to 5 ft	.90	.80	.75
Suma				
Swee	t Brier. (See Rosa Rubigin	iosa)		
	horicarpus—SNOWBERRY	,		
S.	pauciflorus. Dwarf Snowb	errv		
٠.			.55	.50
S.	1 to 1½ ft mollis. Spreading Snowbe 2 to 3 ft	rrv		•
	2 to 3 ft	.75	.65	.60
	3 to 4 ft	.90	.80	.75
S.	vulgaris. Coralberry			
٥.	1½ to 2 ft	.50	.40	.35
	2 to 3 ft	.60	.50	.45
C:	ga—LILAC	•00	•0,0	• • • •
S,	chinensis. Chinese Lilac			
٥.	(Rothomagensis)			
	3 to 4 ft	1.50	1.40	1.30
S.	japonica. Japanese Tree		1.40	1.50
۵.	4 to 5 ft	1.50	1.40	1.30
	5 to 6 ft	$\frac{1.50}{2.50}$	$\frac{1.40}{2.25}$	2.00
c			2.20	2.00
S.	josikaea. Hungarian Lilac		.80	75
	2 to 3 ft	.90	1.10	.75
	3 to 4 ft	$\frac{1.25}{1.75}$	1.10 1.60	$\frac{1.00}{1.50}$
_		1.75	1.00	1.50
S.	persica. Persian Lilac	1.05	1 10	1 00
	2 to 3 ft	1.25	1.10	1.00
-		1. 50	1.40	1.30
S.	villosa. Late Lilac	4.05		4 00
	2 to 3 ft	1.25	1.10	1.00
	3 to 4 ft	1.40	1. 30	1.20
S.	vulgaris. Common Purple			
	2 to 3 ft	.65	.60	.55
	3 to 4 ft	.90	.80	.75
	4 to 5 ft	1.25	1.10	1.00
	Horticultural varieties of	Lilac		
S.	Charles the Tenth			
	Single reddish purple			
	3 to 4 ft	2.00	1.90	1.80
	4 to 5 ft	3.00	2.75	2.50
S.	Common White			
	2 to 3 ft	.90	.80	.75
	3 to 4 ft	1.25	1.10	1.00

		Each Rate	Ten Rate	Hundred Rate
S.	La Tour d' Auvergne Double purple			
S.	3 to 4 ftLudwig Spaeth	2.00	1.90	1.80
	Single deep purplish red 3 to 4 ft	2.00	1.90	1.80
S.	Marie Lagreye Single white 3 to 4 ft	2.00	1.90	1.80
S.	Michel Buchner	2.00	1.50	1,00
	Double pale lilac			
	2 to 3 ft	1.50	1.40	1.30
	3 to 4 ft	2.00	1.90	1.80
S.	Mme. Lemoine Double white 3 to 4 ft	2.00	1.90	1.80
_		2.00	1.90	1.60
S.	Pres. Grevy. Double blue			
	2 to 3 ft	1.50	1.40	1.30
	3 to 4 ft	2.00	1.90	1.80
Tama	rix—TAMARIX			
Т.	africana			
	Upright, dark green foliag 2 to 3 ft	ge	50	45
	3 to 4 ft	$\begin{array}{c} .60 \\ .75 \end{array}$.50 .65	.45 .60
т	odessana	.10	.00	•00
1.	2 to 3 ft	60	.50	.45
	3 to 4 ft	.75	.65	.60
T.	pentandra. (Hispida aesti 3 to 4 ft	valis)		
		1.00	.90	.85
Tatar	ian Maple. (See Acer)			
Vibui	num—VIBURNUM			
V.	americanum. American C	ranberry	bush	
	2 to 3 ft	1.00	.90	.80
	3 to 4 ft	1.25	1.10	1.00
V.	cassinoides. Withe-rod	4.40	4 00	0.0
	2 to 3 ft	1.10	1.00	.90
٧.	dentatum. Arrowwood 2 to 3 ft	90	.70	C.F.
	3 to 4 ft	$\frac{.80}{1.00}$.90	.65 $.85$
v	lantana. Wayfaring-tree	1.00		.00
٠.	3 to 4 ft	1.25	1.10	1.00
V.	lentago. Nannyberry			
	2 to 3 ft	.90	.80	.75
	3 to 4 ft	1.25	1.10	1.00
V.	molle. Kentucky Viburnu			
	2 to 3 ft	.90	.80	.75
	3 to 4 ft	1.00	.90	.85

	Each Rate	Ten Rate	Hundred Rate
V. opulus. European Cranbe	rrvbush		
(Highbush Cranberry)	,		
2 to 3 ft	1.25	1.10	1.00
3 to 4 ft	1.50	1.40	1.30
Horticultural varieties of		m	
V. Common Snowball			
2 to 3 ft	1.10	1.00	.90
3 to 4 ft	1.40	1.30	1.20
V. Dwarf Cranberrybush			
1 to 1½ ft	1.00	.90	.80
	1.00		.00
Wahoo. (See Euonymous)			
Wayfaring-tree. (See Viburnum	1)		
Weigelia-WEIGELIA			
W. floribunda. Crimson Weig	gelia		
2 to 3 ft	1.25	1.10	1.00
3 to 4 ft	1.40	1.30	1.20
W. rosea. Pink Weigelia			
2 to 3 ft	.80	.70	.65
3 to 4 ft	1.00	.90	.85
Horticultural variety of W	eigelia		
W. Eva Rathke. Dwarf red	_		
1½ to 2 ft	1.00	.90	.80
2 to 3 ft	1.25	1.10	1.00
Witch-hazel. (See Hamamelis)	1,20	1110	1100
Zanthoxylum. Prickly Ash			
2 to 3 ft	.60	.55	.50
3 to 4 ft	.90	.80	.75
4 to 5 ft	1.10	1.00	.90
4 10 0 Tr	1.10	1.00	••/(/

ROSES

		Each Rate	Ten Rate	Hundred Rate
Rosa-	ROSE			
R.	Wild rose, single light pink			
	No. 1	.75	.65	.60
R.	No. 1	1.40	1.30	1.20
R.	lucida. Virginia Rose Single dwarf wild rose No. 1	.75	.65	.60
R.	multiflora Single white trailer			
	No. 1	.75	.65	.60
	X	.90	.80	.75
D	h:			
K.	rubignosa. Sweet Brier	75	CE	co
	No. 1	.75	.65	.60
	X	.90	.80	.75
R.	rubrafolia. Redleaved Ro	80		
14.	No. 1	.75	.65	.60
		.90	.80	.75
	X	.90	.00	.79
R.	rugosa. Rugosa Rose Single red	8-	0.5	20
	No. 1	.75	.65	.60
	No. 1	.85	.75	.70
R.	setigera. Prairie Rose Single pink, trailing wild rose	ne	c =	co
	No. 1	.75	.65	.60
	Horticultural varieties of	Roses		
	CLIMBING RO	OSES		
	All 2 year—No. 1, field			
	grown	1.00	.90	.80
	American Beauty, large American Pillar, single i Baltimore Belle, white	rosy pink		
	Christine Wright, wild r Crimson Rambler, bright Dorothy Perkins, soft pi	ose, pink, crimson	doubl	е
	Dr. Van Fleet, flesh pin	lr.		
	Excelsa, scarlet	ĸ		
	Gardenia, yellow			
	Paul's Scarlet			
	Prairie Queen, pink			,
	Silver Moon, single white	9		
	Tausendschon			
	Witchuriana (memorial	rose)		

ROSES-BUSH FORM

(All strong field grown plants)

		Each Rate	Ten Rate	Hundred Rate
	year—No. 1	. 1.00	.95	.90
H. H. J. D. An Bas Cook Fr George Geo	P.—Hybrid Perpetu T.—Hybrid Tea —Tea —June P.—Dwarf Polantha merican Beauty (HP) by Rambler (DP), of dumbia (HT), large of ested Moss, pink more au Karl Druschki (the best white meral Jacqueminot (the meral Washington (Hruss an Teplitz (HT) continuous bloomer arrison's Yellow (J), B. Clark (HT), dee L. Mock (HT), out inside petals silver r miserin Augusta Vict	lwarf cringlowing piss rose HP), dark HP), red '), scarlet very hare p rich seaside petalose oria (HT	nson nk, fra e snow red , prof dy yell rlet ls deep	grant white; use and ow pink—
M: M: M: Or Pr Ra Su Ul	llarney (HT), delicant France (HT), light is Angeles (HT), flar adam Caroline Testo adam Plantier (J), pars. Aaron Ward (HT) salmon pink rs. John Land (HP), bhelia (HT), salmon, ull Neyron (HP), lawince Camille de Romaroon adiance (HT), lovely unburst (HT), cadmin lrich Brunner (HP), ous	ne pink, to ut (HT), ure white '), Indian soft rose shaded r rge vigor hn (HP) rose-pink um yellow,	fine lar, very yellow ose ous pin, deep	rge pink hardy , shaded k velvety
	ROSA RUGOSA	HYBRID	S	
\mathbf{D}	. Meyer ouble pink	. 1.00	.90	.80

ROBA ROGOSA I	II I DIVII)	,	
Conrad F. Meyer Double pink No. 1	1 00	.90	.80
Grootendosa	1.00	.00	.00
Double red No. 1	1.25	1.10	1.00
Hansa			
Double red			
No. 1	1.00	.90	.80

HARTLAND,	WIS.		23
	Each Rate	Ten Rate	Hundred Rate
Sir Thomas Lipton			
Double white No. 1	1.00	.90	.80
TREE ROSI	ES		
2 year heads	5.00	4.75	4.50

Pink Red White

VINES

	Each	Ten	Hundred
Amnaloneis-IVV	Rate	Rate	Rate
A. quinquefolia. Virginia Cree 2 year	eper		
2 year	.60	.50	.40
A. engelmani. Engelman lvy 2 year	.70	.60	.50
A. tricuspidata. Japanese Ivy (Boston Ivy) 2 year	1.00	.90	.85
Aristolochia sepho. Dutchman-Pi 2 year	ре 1.75	1.60	1.50
Bittersweet. (See Celastrus)			
Boston Ivy. (See Ampelopsis)			
Bignonia radicans. Trumpet Cree 2 year	eper .75	.65	.60
Celastrus—BITTERSWEET			
C. orbiculatus. Japanese Bitte	rswee		
2 year		.65	.60
C. scandens. Native Bitterswe 2 year	et .70	.60	.50
Clematis—CLEMATIS			
C. Henry			
Large flowering white 2 year	1.50	1.40	1.30
C. jackmanni Large flowering purple			
2 year	1.40	1.30	1.20
C. Mme. Ed. Andre Large flowering carmine re	ed	1.40	1.00
2 year	1.50	1.40	1.30
C. paniculata. Sweet Autumn Small flowering white 2 year		atis .90	.80
Dutchman-pipe. (See Aristolochi		.90	.00
Euonymous radicans. Wintercree			
2 year	.90	.80	.75
2 year	1.40	1.30	1.20
Euonymous radicans vegatus. Bi	gleaf 1.00	Winterd .90	
Grape. (See Vitus)			
Ivy. (See Ampelopsis)			
Lonicera—HONEYSUCKLE			
L. Hall Japanese			
Semi-hardy climber, fragrant white flow-			
ers, changing to yel-	70	er	en
low, 2 year L. sempervirens. Scarlet Trun	.70	.65.	.60
2 year	.75	.65	.60

	Each Rate	Ten Rate	Hundred Rate
L. prolifera. Wild Trailing H.	loneysud	kle	
2 year		.65	.60
Lycium chinensis. Matrimony V	'ine		
2 year		.50	.40
X	.70	.60	.50
Tecoma. (See Bignonia) Trumpet Creeper. (See Bignonia)	ia)		
Vitus-GRAPE			
Hardy wild, suitable for			
arbors, 2 year	.60	.50	.40
Wisteria sinensis. Purple Wiste	ria		
2 year	1.00	.90	.80

PERENNIALS

Perennials have increased greatly in popularity and in attempting to keep up with the demand, we have added new varieties to our list as fast as we have found them adaptable to Wisconsin conditions. We have grown increasingly large quantities until we now grow many thousands each year.

The plants quoted are all strong, field grown, transplanted stock of sufficient age and strength to bloom

the first year.

Perennials in No. 1 plants will be furnished in assortment at 35 cents each, \$3.00 per ten and \$25.00 per hundred.

These prices include delivery and our usual guarantee. Special prices will be made on large quantities, without delivery or guarantee.

Achillea-YARROW

	Each Rate	Ten Rate	Hundred Rate
A. Boule De Neige	14440	20000	20000
Double white, 2 ft	.30	.25	.20
A. Pearl			
Double white, 18 in	.30	.25	.20
A. Pink. <i>Pink Yarrow</i> Rose pink, 2 ft	.35	.30	.25
A. tomentosa	.00	.00	.20
Yellow	.35	.30	.25
AconitumMONKSHOOD			
A. autumnale. Autumn Monk Spikes of dark blue	shood		
flowers; roots poison-			
ous	.50	.45	.40
A. napellus Purplish blue	.50	.45	.40
Adiatum. (See Ferns)			
Agrostemma. (See Lychnis)			
Alyssum. Basket of Gold			
A. argenteum			
Dwarf Yellow	.35	.30	.25
A. rostostum			
Yellow, trailing	.35	.30	.25
A. saxtile compactum			
Yellow, 1 ft	.35	.30	.25
Anchusa italica dropmore			
Fluffy mass of blue			
flowers	.35	.30	.25
Anemone Japonica. Wind Flow	er		
Late, white, 2 ft	.35	.30	.25
A. Pulsatilla. Pasque Flower			
Early, purple flowers, 1	9.5	60	0.0
ft	.35	.30	.25
Althea rosea. (See Hollyhocks)			

,	Each Rate	Ten Rate	Hundred Rate
Anthemis—CAMOMILE A. tinctorea			
Light yellow, daisylike flower, 2 ft	.35	.30	.25
Aquilegia—COLUMBINE A. caerulea. Colorado Colum	bine	.35	.30
A. chrysantha	.40	.00	.50
Yellow	.35	.30	.25
White	.35	.30	.25
A. Long spurred Hybrids	.35	.30	.25
A. Pink Shades	.35	.30	.25
A. Purple Shades	.00	.90	.20
Arabis alpina. Rockcress	.35	.30	.25
Armeria laucheana. Thrift	.30	.25	.20
Dwarf crimson	.35	.30	.25
Artemisia—WORMWOOD A. abrotanum. Southernwood Shrubby, 5 ft	.35	.30	.25
A. lactiflora. White Mugwort Creamy white fragrant			
spikes, 4 ft Asclepias—MILKWEED	.35	.30	.25
A. tuberosa. Butterfly Weed			
Orange, 2 ft Aster—HARDY ASTER	.35	.30	.25
A. alpinus. Rock Aster Dwarf white		.25	.20
A. Novae-Angeliae. New Eng		iter	
Light bluish purple A. Var. roseus	.30	.25	.20
Light rose purple		.30	.25
Horticultural varieties of	Hardy A	ster	
A. Snowflake Medium dwarf white	.35	.30	.25
A. St. Egwin Large soft pink, 3 ft	.35	.30	.25
Aubrietia. Large flowering hybrids	.35	.30	.25
Baptisia. Wild Indigo B. australis			
Blue	.35	.30	.25
Bee Balm. (See Monarda) Belamcanda Chinensis. Blackbe	[:1.		
Delamcanda Chinensis. Bluckoe	.35	.30	.25

28 WHITE ELM NURSERY	COME	ANY	
	ach Rate	Ten Rate	Hundred Rate
Bell Flower. (See Campanula)	·	1	*******
Blackberry Lily. (See Belamcand	a)		
Blue Bells. (See Mertensia)			
Bocconia Cordata. Plume Poppy			
Attractive foliage, pan-			
icles creamy white			
flowers	.35	.30	.25
Boltonia Asteroides			
Small daisylike white	9.5	90	0.5
flowers	.35	.30	.25
Boltonia Latisquami Lavender, September, 5			
ft	.35	.30	.25
Bouncing-Bet. (See Saponaria)			
Buttercup. (See Ranunculus)			
• • • • • • • • • • • • • • • • • • • •			
Campanula—BELLFLOWER C. carpathica			
Blue, 1 ft	.35	.30	.25
White, 1 ft	.35	.30	.25
C. medium. Canterbury-Bell			
Semi-hardy biennial,			
blue, 2 ft Pink, 2 ft	.30	.25	.20
White, 2 ft	$.30 \\ .30$	$.25 \\ .25$.20 .20
C. medium calycanthema. Cup			.20
Blue	.30	.25	.20
Pink	.30	.25	.20
White	.30	.25	.20
C. persicifolia			
Erect spikes, open bell flor	wers		
Blue, 2 ft	.35	.30 .30	$.25 \\ .25$
	.59	.50	.40
Candytuft. (See Iberis)	`		
Canterbury Bell. (See Campanula	a)		
Cassia Marilandica			
Shrubby growth, yellow flowers, 5 ft	.35	.30	.25
	.50	.00	
Centaurea Delicate thistlelike flow-			
ers. Aug., Sept.			
C. Dealbata			
Rose	.35	.30	.25
C. montana	•••	.50	
Blue	.35	.30	.25
C. macrocephala			
Yellow, tall	.35	.30	.25
Cerastium tomentosum. Snow-in-		.30	.25
Chrysanthemum	.35	.30	,25
(Hardy Chrysanthemums and	Dairie	()	
(Haruy Chrysanthemums and	· - aisie	,	

111111211112,			
	Each Rate	Ten Rate	Hundred Rate
DAISIES			
DAISIES			
C. coccineum. Painted Lady (Pyrethrum Roseum) Daisylike flowers of mixed shades	.35	.30	.25
C. leucanthemum. Oxeye Da		.00	.2.)
(Memorial Daisy) White, 2 ft	.35	.30	.25
C. uliginosum. Giant Daisy White, 4 ft	.35	.30	.25
C. Shasta Daisy Large single white	.35	.30	.25
HARDY CHRYSAN	THEMU	М	
Purplish Rose	.35	.30	.25
Purplish Rose Excelsor, yellow	.35	.30	.25
Excelsor, yellow	,50 95		.25
Etna, brownish red	.35	.30	
White Dotte, tall white. Wm. A. Phillips, single	.35	.30	.25
pink	.35 Rush	.30	.25
······································	.50	.45	.40
Clematis recta	•00	.40	•40
White, non climber Columbine. (See Aquilegia)	.50	.45	.40
Convallaria. Lily-of-the-Valley			
Pips	.10	.08	.05
Clumps	.25	.20	.15
Coreopsis. Tickseed Large yellow flowers, continuous bloomer, fine for cutting	.30	.25	.20
Daisy. (See Chrysanthemum)			
Day Lily. (See Hemerocallis)			
Delphinium—LARKSPUR			
D. grandiflorum chinensis. C Dwarf	hinese L	arkspu	r
Blue	.35	.30	.25
			.25
White	.35	.30	.23
Horticultural varieties of	Larkspur	•	
D. belladonna Light blue	.35	.30	.25
D. bellamosum	•00	.50	.21)
Dark blue, same type as			
Belladonna D. English Hybrids	.35	.30	.25
Fine mixed strain	.35	.30	.25

oo waran abar wordhi	1 001111	11111	
	Each	Ten H	Hundred
D 1111	Rate	Rate	Rate
Delphinium			
New, choice	1.00	.90	.80
Dusty Monarch Sir D. Haig			
Sir D. Haig			
Wrexham strain			
Zandbergens strain			
Glory of the Valley (Pu	don)		
Clary of Dugat Canad (I	Dudon)		
Glory of Puget Sound (I	rudor)		1 . 1
Also a limited quantity	or otne	r new	Kinds.
Dianthus—HARDY PINKS			
D. barbatus. Sweet William			
Mixed	.30	.25	.20
	.35	.30	.25
Newport pink		.30	
Red	.35		.25
Scarlet beauty	.35	.30	.25
D. deltoides. Maiden Pink			
	.30	.25	.20
Horticultural varieties of D	Dianthus		
D. Double Cluster. (Latifolis			
	.35	.30	.25
Double red	.55	.50	-20
D. Perpetual Pink			
	.35	.30	.25
Dicentra. Bleedingheart			
D. exema			
Rose; blooms all sum-			
mer	.60	.55	.50
D	.00	.00	.50
D. spectabilis	00		50
True bleedingheart	.60	.55	.50
Dictamus. Gas Plant			
Rose	.50	.45	.40
White	.50	.45	.40
Digitalis. Foxglove. Biennial			
Digitalis. I oxglove. Dielimai	.30	.25	.20
n 1 · · · · · · · · · · · · · · · · · ·		.20	.20
Echinacea purpurea. Purple Con		0.0	0.5
• • • • • • • • • • • • • • • • • • • •	.35	.30	.25
Echinops ritro. Steel Globe The	istle		
	.35	.30	.25
Erigeron. Fleabane			
Dwarflilac colored			
daisy	.35	.30	.25
E. coulteri	.00	.50	.20
White	.35	.30	.25
	.55	.50	.40
Eryngium. Seaholly	0.5	0.0	0.7
	.35	.30	.25
Eulalia. (See Miscanthus)			
Ferns. Native Mixed			
i erns. Ivative mixeu	.35	.30	.25
			.20
Filipendula ulmaria. European			0.5
(Spirea Ulmaria)	.35	.30	.25
Forget-me-not. (See Myosotis)			
• • •			

	Each Rate	Ten Rate	Hundred Rate
Foxglove. (See Digitalis)			
Funkia. (See Hosta)			
Gaillardia. Blanket Flower			
Very profuse bloomer,			
good for cutting, yel- low with maroon cen-			
ter	.30	.25	.20
Gas Plant. (See Dictamus)	•00		
Geum. Lady Stratheden			
Double yellow	.35	.30	.25
G. Mrs. Bradshaw	2.5	0.0	0.5
Double red	.35	.30	.25
Giant Daisy. (See Chrysanthem	um)		
Gladiolus. (See Bulbs)			
Golden Glow. (See Rudbeckia) Golden Rod. (See Solidago)			
Grasses. (See Miscanthus and F	halaris)		
Gypsophila paniculata. Baby's	Breath		
Gypsophila palificulata. Duby s		.25	.20
G. Double Baby's Breath			
	.40	.35	.30
G. repens			
Dwarf white	.35	.30	.25
Helenium—SNEEZEWEED			
H. Great. (Helenium Autumi	nale Supe	rbum)
Yellow, Aug. and Sept.,	0.5	90	.25
5 ft	.35	.30	.25
H. Red. (Autumnale Rubra)	.35	.30	.25
	.59	.50	.20
H. Riverton Gem Old gold, Aug. and			
Sept., 4 ft	.35	.30	.25
Helianthus—SUNFLOWER			
H. Miss Mellish			
Single yellow, 6 ft	.35	.30	.25
Heliopsis—HELIOPSIS			
	1::-		
Horticultural variety of He	enopsis		
Yellow, July and Aug.,			
3 ft	.35	.30	.25
H. Zinnea			
Double yellow	.40	.35	.30
Hemerocallis-DAY LILY			
H. dumortieri. Early Daylily	0=	0.0	2.5
Orange, June, 2 ft	.35	.30	.25
H. flava. Lemonlily	0.5	9.0	0.5
Lemon yellow, fragrant	.35	.30	.25
H. Fulva. Orangelily Single, orange yellow,			
July, 4 ft	.30	.25	.20
V 22, 1 10, 11, 11, 11, 11, 11, 11, 11, 11,		.20	.=(/

oz wiiii ben kokobii	T COM	11111	
	Each Rate	Ten Rate	Hundred Rate
H. Fulva	Rate	rate	rate
Double	.30	.25	.20
	.50	.20	.20
M. minor	0.5	0.0	0.5
Light yellow, July	.35	.30	.25
Hesperis. Sweet Rocket			
Resembles hardy phlox,			
blooms in June. White			
to purple	.35	.30	.25
Heuchera sanguinea. Coralbells			-
Coral red	.40	.35	.30
	.40	.50	.50
H. brizoides			
Rose shades	.40	.35	.30
Hibiscus. Rose Mallow			
Large Hollyhocklike flower	0220		
Mixed	.35	.30	.25
Pink	.40	.35	.30
Red	.50	.45	.40
White, red eye	.40	.35	.30
Hollyhocks. (Althea rosea)			
Double rose	.35	.30	.25
Double scarlet	.35	.30	.25
Double white	.35	.30	.25
Double write			$.25 \\ .25$
Double yellow	.35	.30	
Double Newport pink	.35	.30	.25
Single mixed	.30	.25	.20
Single red	.35	.30	.25
Single rose	.35	.30	.25
Single salmon	.35	.30	.25
Single white	.35	.30	.25
Single yellow	.35	.30	.25
II . DIANTAINIIIV /F			
Hosta—PLANTAINLILY. (Fun	Kia)		
H. caerulea. Blue Plantainlil	<i>y</i>	0.5	90
77 1 6 1	.30	.25	.20
H. lancefolia	00	25	20
Late, blue	30	.25	.20
H. plantaginea. White Planta	ainlily		4.0
	.50	.45	.40
Iberis sempervirens. Candytuft			
Early white ground			
cover	.30	.25	.20
Iris Germanica—GERMAN IRIS			
In variety—our selection	.30	.25	.20
I. Black Prince			
Violet purple	.35	.30	.25
I. Bougere			
Lilac and purple	.35	.30	.25
	.00	.50	.20
I. Bridesmaid	0.0	0	0.0
White, shaded	.30	.25	.20
I. Celeste			
Delicate sky blue	.35	.30	.25

		Each Rate	Ten Rate	Hundred Rate
I.	Dalmatica			
	Deep lavender, large and fine	.35	.30	.25
I.	Flava Light yellow	.35	.30	.25
I.	Florentina White, tinted mother of			
I.	pearl	.35	.30	.25
	Florentina blue Dark blue, tall vigorous	.35	.30	.25
I.	Hector Standards soft yellow, falls violet red	.30	.25	.20
I.	Her Majesty Standards rose pink, falls crimson	.35	.30	.25
1.	Honorabile			
	Standards golden yellow, falls deep brown with yellow edge	.35	.30	.25
I.	Lohengrin. Lilac rose Lilac rose	.35	.30	.25
I.	Mme. Chereau White, blue edging	.35	.30	.25
I.	Mrs. H. Darwin White shaded to violet	.35	.30	.25
I.	Queen of May Rose lilac, almost pink.	.35	.30	.25
I.	Sambucina			
	Rose purple with touch of orange, fragrant	.35	.30	.25
I.	Sherwin Wright S. and F. solid yellow	.40	.35	.30
I.	Walhalla S. lavender: F. red	.35	.30	.25
Iris I	Kaempferi—JAPANESE IR	S		
I.	K. Gold Bound			
I.	White shaded yellow K. Mahogany	.40	.35	.30
I.	Mahogany red K. Norma	.40	.35	.30
I.	Deep purple K. Purple and Gold	.40	.35	.30
I.	K. Wm. Tell	.40	.35	.30
	Blue	.40	.35	.30
	Early dwarf purple iberica. Siberian Iris	.30	.25	.20
	Blue	.35	.30	.25
	White	.35	.30	.25

	Each Rate	Ten Rate	Hundred Rate
Jacobs Ladder. (See Polemoniu	im)	reace	Itate
Ladyslipper. (See Cypripedium)		
Larkspur. (See Delphinium)	_		
Lathyrus latifolius. Perennial S White	weet Pea	0.0	0.5
	.35	.30	.25
Pumlo	.35 .35	.30 .30	$.25 \\ .25$
Purple	.00	.50	.20
Liatris. Gay Feather Purple spikes, 3 ft	95	.30	.25
Lilies. (See Bulbs)	•99	.50	.20
Lily-of-the-Valley. (See Conval	laria)		
Limonium latifolium. Bigleaf S			
(Statice latifolia)	euruvenue		
Panicles of delicate lav-			
ender flowers	.35	.30	.25
Linum perenne. Perennial Flax			
Masses of small blue flowers, continuous			
flowers, continuous			
bloom, 10 in	.35	.30	.25
Linum perenne album. White h	Perennial	Flax	
	.35	.30	.25
Lupinus. Lupine			
Blue	.35	.30	.25
Moerheim, pink	.35	.30	.25
White	.35	.30	.25
Lychnis—CAMPION			
(Scarlet Lightning)			
L. chalcedonica. Maltese Cro	088		
Brilliant scarlet, July,	.35	90	.25
3 ft	.50	.30	.20
Lythrum roseum Rose pink, erect spikes,			
July and Sept., 4 ft	.35	.30	.25
		.50	.20
Malva moschata. Musk Mallow			
Rosy pink, profuse bloomer	.30	.25	.20
M. White		.20	.20
WI. White	.35	.30	.25
Meadow Sweet. (See Filipenda		.00	.20
Mertensia Virginica. Bluebells	,		
Mertensia Virginica. Bibebetis	.35	.30	.25
Miscanthus—EULALIA	•00	•00	
M. sinensis. (E. Japonica)			
m. smensis. (L. Japonica)	.35	.30	.25
Horticultural varieties of	****		•==
M. Maidengrass. (E. gracilli		• •	
Wi. Waidengrass. (L. gracini	.35	.30	.25
		.00	.20
M. Striped Eulalia. (E. vari	egata) .35	.30	.25
M. Zebra Grass. (E. zebrina		.50	.20
W. Zebra Grass. (E. Zebrina	.35	.30	.25
	.50	.50	.20

,	Each	Ten	Hundred
Monarda—BEEBALM	Rate	Rate	Rate
M. didyma. Oswego Beebalm	,		
Red flowers, fragrant			
foliage	.35	.30	.25
Monkshood. (See Aconitum)			
Myosotis. (Forget-me-not)			
M. scorpioides. True Forget-	me-not	0.5	90
O I EVENING PRIMPO	.30	.25	.20
Oenothera—EVENING PRIMRO	SE		
O. speciosa Pure white	.30	.25	.20
O. youngii	.00	.20	.20
Yellow	.30	.25	.20
Oriental Poppy. (See Panaver)			
Oxeve Daisy. (See Chrysanther	mum)		
Pentstemon teorreyi			
Spikes of bright scarlet flowers	.35	.30	.25
Pachysandra	.00	.00	.20
Low trailing plant.			
Groundcover in shade	.40	.35	.30
Paeonia—PEONY			
P. In Variety—our selection			~0
5 to 5 eye	.60	.55	.50 .65
5 to 10 eye	.75	.70	.00
P. Agida. Crimson, gold star 3 to 5 eye	mens .75	.65	.60
5 to 10 eye	1.00	.90	.85
P. Andrae Lawries			
Immense, very double			
pink, shy bloomer	20		=0
3 to 5 eye 5 to 10 eye	$.60 \\ .75$.55 .70	.50 .65
P. Chinensis Rosea. China p		.10	.00
3 to 5 eye	.60	.55	.50
5 to 10 eye	.75	.70	.65
P. Cornea Elegans. Delicate	pink		
3 to 5 eye	.60	.55	.50
5 to 8 eye	75	.70	.65
P. Couronne d'Or. White, ye			CO
3 to 5 eye 5 to 8 eye	$\begin{array}{c} .75 \\ 1.00 \end{array}$.65 .90	.60 .85
P. Clarissa. Pink	1.00	•••	.00
3 to 5 eye	.60	.55	.50
5 to 10 eye	.75	.70	.65
P. Cupera Superba. Pink, wh	nite cente	er	
3 to 5 eye	.60	.55	.50
5 to 10 eye	.75	.70	.65
3 to 5 eye	.60	.55	.50
5 to 8 eye	.75	.70	.65

90	WHITE ELM NURSER	r COM	PANY	
		Each	Ten	Hundred
D	Duches de Nemours. White	Rate	Rate	Rate
1.	3 to 5 eye	e, yeno .75	.65	.60
	5 to 10 eye	1.00	.90	.85
D	Edulis Superba. Fragrant,	.75 1.00		.00
Г.	Edulis Superbu. Trugium,	early p	.65	.60
	3 to 5 eye 5 to 10 eye	1.00	.90	.85
-			.90	.00
Р.	Felix Crousse. Brilliant red		00	O.F
_	3 to 5 eye	1.00	.90	.85
Р.	Festiva Maxima. Pure whit	te, cente	er fleck	ed
	3 to 5 eye	1.00	.90	.85
	5 to 10 eye	1.25	1.10	1.00
Ρ.	Fragrans. American-beauty	shade		co
	3 to 5 eye 5 to 10 eye	.10	.65	.60 .75
_			.80	
Р.	Killarney. Form and color	like Ki		
	3 to 5 eye	.60	.55	.50
_	9 to 10 cyc		.70	.65
Ρ.	Louis Van Houtte. Dark c			
	3 to 5 eye	.75	.70	.65
Ρ.	Rubra Officinalis. Old red			
	2 to 4 eye	1.25	1.10	1.00
P.	Whitleyii. White			
	3 to 5 eye	.70	.65	.60
	5 to 8 eye	.85	.80	.75
Papa	ver orientalis. Oriental Pop	ру		
•		.35	.30	.25
P.	Beauty of Livermore			
	Crimson	.40	.35	.30
Phals	ria arundinacea. Ribbon G	rass		
1 marc		.25	.20	.15
				.10
	«—PHLOX			
Р.	In assortment—our selection			2.4
		.35	.30	.25
Ρ.	Athis			
	Salmon pink, tall	.35	.30	.25
P.	Bridesmaid			
	White, red center	.35	.30	.25
Ρ.	Be Comte			
	Purple	.50	.45	.40
P	Ecclaireur			
• •	Purplish red, lighter halo	.35	.30	.25
D	Elizabeth Campbell	•••	•	
٠.	Soft pink	.50	.45	.40
ח	Enchantress	.00	•40	·-r()
F,		.40	.35	.30
_	Large salmon pink	.40	.00	.50
Р.	Ferdinand Cortez			
	Bronze crimson, darker	95	90	.25
_	center	.35	.30	.23
Р.	Frau von Lassburg	0.7	9.0	0=
	Large pure white flowers	.35	.30	.25

	Each Rate	Ten Rate	Hundred Rate
P. Gen. Strohlein	11411	10000	******
Bright scarlet, crimson	4.0	0.7	0.0
eye	.40	.35	.30
P. La Vogue Silvery pink	.35	.30	.25
P. Lord Raleigh	0.5	,	25
Purple	.35	.30	.25
P. Mad. Bezanson Crimson	.40	.35	.30
P. Mad. Langier Dark crimson	.40	.35	.30
P. Miss Lingard			
Early, fine tall, white	.35	.30	.25
P. Mrs. Egan			
Lavender	.35	.30	.25
P. Mrs. Jenkins			
Good white, vigorous	.35	.30	.25
P. Pantheon Fine large pink	.35	.30	.25
P. Rhynstrom	.35	.30	.25
Tall, carmine rose	.59	.50	.23
P. Siebold Bright scarlet	.40	.35	.30
P. Sir Edward Landser	0.7	20	0-
Bright crimson	.35	.30	.25
P. Struthers Beautiful salmon red,			
crimson eye	.35	.30	.25
P. Thor	.00	,00	•=0
Deep salmon pink	.35	.30	.25
P. Widar	•••	,,,,	
Reddish violet	.40	.35	.30
P. Sublata Rosea			
Pink creeping phlox	.35	.30	.25
P. Sublata Alba			
White creeping phlox	.35	.30	.25
Physalis francheti. Japanese La			
For winter bouquets	.35	.30	.25
Physostegia. False Dragon-head			
Pink	.30	.25	.20
White	.30	.25	.20
Plantainlily. (See Hosta)			
Platycoden. Balloonflower	95	20	.25
Blue Dwarf blue	.35 .35	.30 .30	.25 .25
White	.35	.30	.25
Dwarf white	.35	.30	.25
Plume Poppy. (See Bocconia)	.00	.50	,_,,
Polemonium. Jacob's Ladder			
Clusters of blue flowers.	.30	.25	.20
	• • • •	,	••••

38 WHITE ELM NURSER	Y COM	IPANY	
	Each Rate	Ten Rate	Hundred Rate
Polygonum cuspidata. Japanese	Fleece .35	Flower .30	.25
Pyrethrum. (See Chrysanthemur		.50	.20
Ranunculus acris. Bachelor's Bu 1 to 2 ft., mass of small double golden yellow flowers		.25	.20
Ribbon Grass. (See Phalaris)			
Rock Cress. (See Arabis) Rudbeckia. Coneflower			
Rudbeckia. Coneflower R. Newmanni. Black Eyed Su			
Single yellow	.35	.30	.25
R. purpurea. (See Echinacea)		•00	.20
Horticultural variety of Ruc		1	
R. Goldenglow			
Double yellow flowers, 6	0.0	0.5	20
ft. late	.30	.25	.20
Salvia azurea Spikes sky-blue flowers, Sept., Oct., 5 ft	.35	.30	.25
Saponaria oxymoides. Rock Soa	pwort		
	.35	.30	.25
Scabiosa caucasica Lavender blue, good cut flowers Seaholly. (See Eryngium)	.35	.30	.25
Sedum—STONECROP			
 S. acre. Goldmoss Forms carpet of light green foliage, yellow flowers, fine for rockery or ground cover. S. spectabile. Showy Stonecre Sept., Oct., 1 ft. rose colored showy flat 	.30 op	.25	.20
heads	.35	.30	.25
Horticultural variety of Se	dum		
S. Purple Showy Stonecrop.			
	.40	.35	.30
Sneezeweed. (See Helenium)			
Soapwort. (See Saponaria)			
Solidago. Goldenrod	0.0	0.5	90
Speedwell. (See Veronica) Spirea Ulmaria. (See Filipendul Statice. (See Limonium) Sunflower. (See Helianthus) Sweet-William. (See Dianthus)	.30 la)	.25	.20

<u></u>	Each Rate	Ten Rate	Rate
Thalictrum aquilegifolium. Co			vrue .30
T. dipterocarpum	.40	.55	.50
Later than above		.45	.40
Thermopsis Caroliana. False L	upine		
Thermopsis Caroliana. False L Long spikes, yellow flowers		.35	.30
Valeriana officinalis. Garden		pe	
Tall spikes, fragrant white flowers	.35	.30	.25
Veronia. Ironweed			
Dark purple showy flow- ers, grow in low			
ground, 6 ft	.35	.30	.25
Veronica—SPEEDWELL			
V. longifolium subsessilis			
Long dark blue spikes,		0.5	00
2 ft	.40	.35	.30
White, woolly leaves	.40	.35	.30
V. repens Low rock plant	.35	.30	.25
V. spikata			
Smaller but more per- manent	.35	.30	.25
Vinca minor. Common Periwin		.00	.20
	.30	.25	.20
Viola-VIOLET			
V. odorata			
Double blue, sweet			
scented violet	.30	.25	.20
Yucca filamentosa. Spanish Bo Evergreen. swordlike	iyonet		
Evergreen, swordlike foliage, handsome spikes, cream white			
spikes, cream white flowers, June, July, 4			
6 ft	.40	.35	.30

ANNUALS

	ted Into Flats	Transp
--	----------------	--------

	Per Dozen	
Price except as noted	.35	2.50
Ageratum		
Alyssum		
Antirrhinum. Snapdragon		
Aster		
Mixed Pink		
Purple		
White		
Calendula. Pot Marigold		
Cobsea scandens		
Cosmos. Early mixed		
Heliotrope		
	.50	4.00
Marigold. Double African mixed		
Nasturtium. Dwarf Climbing		
Petunias		
Double mixed		
Single mixed Rosy morn		
Phlox Drummondi		
Salvia America	.50	4.00
	.00	4.00
Salpiglossis	.50	4.00
	.50	4.00
Verbena Mixed		
Blue		
Pink		
Scarlet		
White		
Zinnias		
Mixed		
Burnt Orange		
Primrose		
Purple Rose		
White		
POTTED PLANTS		
FOITED FLANTS		Per
		Dozen
Alyssum	\$.15	\$ 1.50

Heliotrope

 $.\bar{20}$

.20

 $.15^{\circ}$

2.00

2.00

1.50

HARTLAND, WIS.

SPRING BULBS

Planted in Spring Only

	Each Rate	Ten Rate	Hundred Rate
Caladium. Elephant's Ear			
C Charley and mainting	.50	.45	.40
Cannas Standard varieties Dahlias	.35	.30	.25
D. A. D. Livonia			
Show, clear pink	.35	.30	.25
D. Countess of Lonsdale			
Cactus, salmon pink and	0.5	0.0	25
amber	.35	.30	.25
D. Doazon	.35	.30	.25
Decorative, orange red .	.55	.50	.20
D. Frank Smith Show, maroon tipped			
white	.30	.25	.20
D. Geo. L. Stillman	***		
Cactus, light maroon	1.00	.90	.80
D. Geo. Walters			
Hybrid cactus, large			
pinkish salmon, yellow			
at base. Often comes	1.00	.90	.80
D. Jack Rose	1.00	.90	.00
Decorative, red	.35	.30	.25
D. J. H. Jackson	.00	.00	
Cactus, deep maroon	.35	.30	.25
D. Maurice Rivoire. (Collor	ette)		
Blood red, white collar.	.35	.30	.25
D. Pink Pearl			
Cactus, pink, shaded			~ =
white	.35	.30	.25
D. Queen Wilhelmina	.35	0.0	.25
Paeonia, large white	.59	.30	.25
Gladiolus			
G. America Large flesh pink, fine			
for cutting	.08	.06	.05
G. Baron Hulot			*
Rich velvety violet pur-	2.0		
ple	.20	.15	.12
G. Empress of India			
Brilliant scarlet with maroon shadings	.20	.15	.12
G. L. 'Immaculee	•=0	.10	.12
White	.20	.15	.12
G. La Mareschal Foch			
Soft flesh pink	.20	.15	.12
C. Wilbrink			
Immense flesh pink	.25	.20	.15

42 WITTE EL	M NURSER.	I COM	IFANI	
		Each Rate	Ten Rate	Hundred Rate
G. Mrs. Francis S Beautiful li		.10	.07	.06
G. Panama Deep pink .		.15	.12	.10
G. Princeps	n with white			
blotch on	lower petals	.20	.15	.12
G. Schwabin Large yellov	v	.20	.15	.12
	FALL BULB	S		
Crocus				
Mixed		.05	.04	.03
Daffodils. (See Na				
Hyacinths	,			
		.25	.22	.20
Lilium—LILY				
L. candidum. M	adonna Lila			
	· · · · · · · · · · · · · · ·	.50	.45	.40
L. elegans		.00	*10	•10
	ving, orange			
red unrig	ht flowers	.35	.30	.25
L. regale. Roya		.00	.00	.20
	: <i>Lity</i> ?	1.00	.90	.80
			.90	.00
L. superbum. T	urk's Cap Lily		.30	.25
Orange red	spotted	.35	.50	.20
L. tigrinum. Tig		95	90	0.5
		.35	.30	.25
Lily-of-the-Valley.	(See Perenni	als)		
Narcissus. (Daffoo	lils)		(Prices	Later)
N. Emperor				
Large yello	w			
N. Empress				
	ellow, petals			
	• • • • • • • • • •			
N. Paper White				
For growin	ig in water			
indoors				
N. Poeticus. Ph White, ora	easants Eye			
White, ora	ange - scarlet			
N. Von Sion				
Large doub	le yellow			
Ornithogalum Umbe		· of Be	thlehem	t
	star-shaped			
white flow	vers	.05	.05	
Scilla			(Prices	Later)
Small bell-	shaped blue			
flowers .				
Trillium. (See Per	rennials)			

	Each Rate	Rate	Hundred Rate Later.)
Tulips—Bedding varieties			
T. Artus Bright red			
T. Kaiserkroon Red and yellow			
T. La Reine White		-	
T. Gris de Lin			
Rose			
T. Yellow Prince		è	204
Yellow		1011	
Tulips-Cottage varieties		4-	
T. Bouton d'Orr			
Pure yellow			Reni.
T. Gresneriana Red			
T. Inglescombe			
T. Inglescombe Yellow			
Tulips-Darwin varieties			
T. Darwin mixed			
T. Clara Butt			
Salmon pink		, -	
T. Glow			
Brilliant red			
T. Gretchen			
Sort blush			
T. La Noire Tulipe			

Black
T. White Queen
White

FRUIT

APPLES	FR	JII			
	, No. 1		Each Rate 1.25	$\begin{array}{c} {\rm Ten} \\ {\rm Rate} \\ {\bf 1.00} \end{array}$	Hundred Rate .90
Varieties	s starred (*) are	es-		2100	
peci	ally recommended is. Winter s. Winter				
*Delicious	ns. Winter				
*Early H	arvest. Early				
Fameuse	(Snow). Early	Wint	er		
Grimes	Golden. Early V	Vinter			
Northern	n. Winter n Spy. Winter				
*N. W. G	reening. Winter				
*Oldenbui	rg (Duchess). S	ummei	:		
	e. Winter			j	
*Roxbury	richan. Early sı Russett. Winte	ımmer r			
*Tolman	Sweet. Winter	•			
*Wealthy	Early winter Early winter				
Winesap	. Early winter		mamaan		
CRABS	Transparent. Ea	riy su	mmer		
	same as apples				à ¹
Hyslop					
Red Sib					
Yellow S Sweet R					
Whitney	ussett				
CHERRY					
4 1	to 6 ft., No. 1		1.50	1.40	1.30
Early R					
_	ontmorency				
PEARS	to 6 ft No 1		1 75	1.60	1.50
Bartlett.	to 6 ft., No. 1 Large yellow, f Hardy cooking	ine fla	vor	1.00	1.50
Kieffer.	Hardy cooking	pear	_		
Seckel.	Small, sweet, exc	ellent	flavor		
PLUM	N- 1		1.40	- 1.90	1.25
Europea	, No. 1 n Varieties:	• • • •	1.40	1.30	1.23
Shropshi	ire (Damson). I	oark b	lue		
Japanese	varieties:			,	
	ice. Large but n	ot reli	ably h	ardy	
Surprise	varieties: Red				
Wild Go	ose. Red				
Hanson	Hybrids:				
Loring					
Kahinta Opata					
Toka					
Opata.	Purplish, red				
Tonka	~				
Waneta Sapa. I	Purple				
zapa 1	P				

HARTLAND, WIS.	HA	RTL	AND,	WIS.
----------------	----	-----	------	------

	Each Rate	Ten Rate	Hundred Rate
GRAPE 2 year, No. 1 Agawam. Early brown Beta. Wild Brighton. Red Clinton. Small, hardy Concord. Standard black Delaware. Small purple, swee Moore Early. Early black Niagara. White		.35	.30
Worden. Large bluish black CURRANTS 2 year, No. 1, except as noted Black Naples. Black Cherry. Large red Red Cross. Red	.30	.25	.20
White Grape. White Perfection. Red 2 year, No. 1	.60	.50	.40
GOOSEBERRY Downing. Large green, 2 year, No. 1 Red Jacket (Josselyn). Red, 2 year, No. 1	.40 .50	.35 .40	.30 .35
BLACKBERRY	Par 19	Por 95	Per 100
Ancient Britton, 1 year Snyder, 1 year	1.50 1.50	2.75 2.75	10.00 10.00
RASPBERRY Except as noted, 1 year	1.50	2.75	10.00
Black: Cumberland Gregg Plum Farmer Purple: Columbian Red: King			P ⁴ , a
Latham	2.25 2.25	4.00 4.00	$15.00 \\ 15.00$

40 WHITE ELM NORDER	1 COM1	ANI	
STRAWBERRY	Per 25	Per 100	Per 500
SIKAWBERKI	.75	2.00	7.50
Special prices on larger quan-	.10	2.00	1.00
tities			
Aroma. Large, dark red			
Beder Wood			
Cooney. New, late, large,			
splendid flavor	y.		
Dr. Burrill			
Gandy. Large, late, good			,
Gibson			
Glen Mary. Very large, light			
red			
Dunlap. Good shipper, usually planted with Warfield			
Warfield. Imperfect, requires a fertilizing variety, usually Dunlap			
Progressive (Everbearing)	1.25	4.00	15.00
MISCELLANE	ous		
	Each	Ten	Hundred
ASPARAGUS	Rate	Rate	Rate
	.03	.02	.01
1 year, No. 1	.03	.02	.02
2 year, No. 1	.04	.00	.02
Conovers Colossal. Green			
Palmetto. Purple Washington Rust Proof			
RHUBARB			



.30







